

## DS-D5043UC 42.5" 4K Monitor




### Key Features

- Designed for surveillance, high reliability and stability
- 4K resolution is 4 times 1080P can own broader view and more abundant details
- HDMI support up to 4K@60Hz
- Multiple inputs: HDMI, VGA, RJ45, USB
- Build-in speaker, Audio 8W\*2
- Narrow front Bezel

### Interfaces

NO.	Description
1	RS232
2	HDMI 2.0*2
3	VGA
4	LAN
5	Audio out
6	Audio in
7	USB3.0*1 /USB2.0*1



# Specifications

<b>Model</b>	DS-D5043UC	
<b>Backlight</b>	D-LED	
<b>Screen Size</b>	42.5 inch	
<b>Pixel Pitch</b>	0.2451mm (H) * 0.2451mm(W)	
<b>Max Resolution</b>	3840 * 2160	
<b>Brightness</b>	400 cd/m2 (Typ.)	
<b>Contrast</b>	1200:1	
<b>Response Time</b>	8ms	
<b>Color</b>	1.07billion	
<b>Active Area</b>	941.184mm(H) * 529.416mm(V)	
<b>Viewing Angle</b>	Horizontal 178°, Vertical 178°	
<b>Interfaces</b>	RS232	1
	HDMI 2.0	2
	VGA	1
	LAN	1
	Audio out	1
	Audio in	1
	USB3.0*1 /USB2.0*1	2
<b>Power Supply</b>	AC 100~240V, 50/60 Hz	
<b>Power Consumption</b>	≤120W	
<b>Standby power Consumption</b>	0.5W	
<b>Loudspeaker</b>	8W*2	
<b>Working Temperature</b>	0°C~40°C	
<b>Working Humidity</b>	20% - 80%RH (No Condensation)	
<b>Storage Temperature</b>	-20°C ~ +60°C	
<b>Storage Humidity</b>	10% - 90%RH (No Condensation)	
<b>Color of Casing</b>	Black	
<b>VESA</b>	200mm*200mm/400mm*400mm	
<b>Dimensions(W*H*D)</b>	968.2mm*559.4mm*60.9 mm	
<b>Packing Dimensions(W*H*D)</b>	1070mm*696mm*159 mm	
<b>Gross Weight</b>	11.7kg	
<b>Net Weight</b>	8.6kg	
<b>Accessories</b>	Power cord	1
	Battery	1
	Remote Control	1
	User manual	1
	HDMI cable	1
<b>Bracket</b>	Pedestal	NA
	Wall mounted	Optional DS-DM4255W
<b>*Note</b>	All specifications mentioned above are subject to the actual product	

# Dimensions (unit: mm)

